Articulating Boom Lifts





Genie Z-34/22N

Fuel: Electric
40' Working Height
22' 4" Horizontal Outreach
Weight: 11,500 lbs.
Lift Capacity: 500 lbs.
Platform Size: 56" x 30"
Overall Width: 4' 10"


Genie Z-30/20N

Fuel: 48V DC 36' Working Height 21'-5" Horizontal Outreach Weight: 14,170 lbs. Lift Capacity: 500 lbs. Platform Size: 48" x 30" Overall Width: 3'-11" Overall Length: 16'-9"



Straight Telescopic Boom Lifts







Genie S-40

46' Working Height 31' 8" Horizontal Reach Weight: 11,650 lbs. Lift capacity: 500 lbs. Overall Width: 7' 6"

JLG 400S

46' Working Height 34' 1" Horizontal Reach Weight: 12,650 lbs Lift capacity: 500 lbs Overall Width: 7' 6"

Available in:

Four Wheel Drive Two Wheel Drive Diesel Dual Fuel (Gas/Propane) Variety of Platform sizes



JLG 601S

66' Working Height 49' Horizontal Outreach Weight: 21,500 lbs. Lift capacity: 500 lbs. Overall width: 8'

Available in:
Four Wheel Drive

Scissor Lifts



Genie GS 1930 25' Working Height

25' Working Height
Platform Dimensions: 64" x 29"
Platform Length (Extended): 103"
Height (Lowered): 6' 6"
Capacity: 500 lbs.
Weight: 2,956 lbs.
(Various Units Available)



Genie GS 2632

32' Working Height
Platform Dimensions: 89" x 31"
Platform Length (Extended): 135"
Height (Lowered): 6' 3"
Capacity: 500 lbs.
Weight: 5150 lbs.
(Various Units Available)

Electric



Rough Terrain

Genie GS 3268 RT

Fuel: Dual (Gas/ Propane)
Four Wheel Drive
*** Up to 38' Working Height
Platform Dimensions: 99" x 61"
Platform Length (Extended): 165"
Height (Lowered): 8'
Capacity: 1,000 lbs.
Weight: 7520—9101 lbs.
(Various Units Available)



Ha Ha

Scissor Lifts



JLG 2630 ES

32' Working Height
Platform dimensions: 90.5" x 30"
Platform length (Extended): 126"
Height (Lowered): 6' 4.5"
Capacity: 500/800 lbs.
Weight: 4,750 lbs.

(Various Units Available)

Electric





Hy-Brid Lifts

Custom Equipment

Hy-Brid HB-1430

20' Working Height
Platform Dimensions: 25" x 60"
Width: 30"
Height (Lowered): 6'
Capacity: 670 lbs.
Weight: 1650 lbs.





Skyjack SJ 7127

Fuel: Diesel
33' Working Height
Platform Dimensions: 64" x 117"
Width: 71.5"
Height (Lowered): 5' 0.5"
Capacity: 1,500 lbs.
Weight: (W/O outriggers) 8690 lbs.



Construction - Industrial Equipment



Genie S-60

Fuel: Dual Fuel
Four Wheel Drive
66' Working height
51' 3" Horizontal Reach
Lift capacity: 500 lbs.
Loegering Tracs





Komatsu PC35MR-2

11' 6" Digging Depth 5 P.S.I Ground Pressure 8,245 lbs. Operating Weight 29.1 Horsepower 12" & 24" Buckets available TRUE ZERO TAIL SWING



Construction Equipment

Terex TX5519

Fuel: Diesel
Capacity: 5,500 lbs.
19' Reach
4 Wheel Drive
4 Wheel Steer
ITA Carriage
Power Shift Transmission







Terex 842C

Fuel: Diesel
Capacity: 8,000 lbs.
42' Reach
4 Wheel Drive
4 Wheel Steer
Removable Carriage
Power Shift Transmission

Terex 844C

Fuel: Diesel
Capacity: 8,000 lbs.
44' Reach
4 Wheel Drive
4 Wheel Steer
Removable Carriage



Forklifts / Floor Scrubbers

Authorized Dealer for Sales & Service:



KOMATSU























Model 290 Scrubber/Sweeper

Ride-on unit. Sweeps and scrubs at the same time. Picks up debris as large as a 3/4" x 8" bolt.

Sweeps and scrubs 35,000 sq. ft./hour.

Model 253-30FC Magnum

30" Scrubbing Path. Scrubs 30,000 sq. ft./hour. Runs up to 5 hours per charge. This unit available for rent.



SALES

28" Cleaning Path.

SERVICE

PARTS

www.pennellforklift.com